



Certificate Of Analysis

Product Name	Kojic Acid Dipalmitate
--------------	------------------------

INCI Name:	Kojic Dipalmitate
------------	-------------------

Expiry Date:	October 2027
--------------	--------------

Batch Number:	Check product package
---------------	-----------------------

Analytical Test	Specification	Result
Appearance (color)	White crystal powder	Complies
Assay	>98%	99.2%
Melting point	92~96°C	93.5~95.8°C
Loss on drying	≤0.5%	0.1%
Residue on Ignition	≤0.5%	0.07%
Heavy Metal	≤10ppm	Complies
As	≤1.0ppm	Complies
Fe	≤1.0ppm	Complies
Cl	≤ 5.0 ppm	Complies
Microbiological Test		
Total plate count	≤3000cfu/g	Complies
Yeast & Mould	≤300cfu/g	Complies
E.Coli	Absent	Absent
Salmonella	Absent	Absent

The above data were obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions. This report is not to be signed. All data are as per our supplier.

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense,

direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use.