



# SAFETY DATA SHEET

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product identifier

Trade name : EUXYL™ PE 9010 PRESERVATIVE  
Description : N2022

### Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Conservation agent (preservative) for cosmetics

<b>Details of the supplier of the safety data sheet</b>	
---	--

Deo Organic 2300 kathryn ln plano tx 75025 United States of America (USA)	
---	--

<a href="mailto:sales@deoorganic.com">sales@deoorganic.com</a>	
--	--


---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Acute toxicity (Oral) : Category 4  
Serious eye damage : Category 1  
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Harmful if swallowed.



Causes serious eye damage.  
May cause respiratory irritation.

**Precautionary Statements**

: If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

**Prevention:**

Avoid breathing mist or vapors.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear eye protection/ face protection.

**Response:**

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical name	CAS-No.	Classification	Concentration (%)
2-PHENOXYETHANOL	972-99-964	Acute Tox. 4; H302 Eye Dam. 1; H318 STOT SE 3; H335	$\geq 90.00$ - $\leq 100.00$
1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY)	712-33-95	Acute Tox. 4; H332	$\geq 10.00$ - $< 20.00$



---

## SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and plenty of water.
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. Causes serious eye damage. May cause respiratory irritation. Gastrointestinal discomfort Extremely corrosive and destructive to tissue. tearing Nasal irritation Blurred vision Nausea Local irritation
Notes to physician	: Treat symptomatically.



---

## SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide
- Specific extinguishing methods :  
  
Standard procedure for chemical fires.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against : Normal measures for preventive fire protection.



fire and explosion

- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination.  
Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

### Hand protection

- Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : > 0.5 mm

- Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves



should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

- Eye protection : Tightly fitting safety goggles  
Eye wash bottle with pure water
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Physical state : liquid
- Color : colorless
- Odor : characteristic
- Odor Threshold : not determined
- pH : 6 - 8 (20 °C)  
Concentration: 10 g/l
- Melting point/freezing point : ca.41 °F / 5 °C
- Boiling point/boiling range : > 212 °F / > 100 °C
- Flash point : > 100 °C  
Method: ISO 2719
- Evaporation rate : not determined  
not determined
- Flammability (solid, gas) :  
not determined
- Flammability (liquids) : not determined
- Flammability (liquids) :
- Upper explosion limit : Upper explosion limit  
Not applicable



Lower explosion limit	: Lower explosion limit not determined not determined
Vapor pressure	: not determined
Relative vapor density	: not determined  not determined
Relative density	: No data available
Density	: 1.087 - 1.092 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	
Water solubility	: 10 g/l (20 °C)
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: 28 mPa.s
Viscosity, kinematic	: not determined
Flow time	: < 15 s at 20 °C Method: DIN 53211
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Surface tension	: 34 mN/m
Molecular weight	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
------------	---



Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapors may form explosive mixture with air.
Conditions to avoid	: Protect from frost, heat and sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Eye contact Skin contact Ingestion
--	--

### Acute toxicity

Harmful if swallowed.

#### **Components:**

##### **2-PHENOXYETHANOL:**

Acute oral toxicity	: LD50 (Rat, male): 1,394 mg/kg
Acute inhalation toxicity	: Assessment: No adverse effect has been observed in acute inhalation toxicity tests.
Acute dermal toxicity	: LD50 (Rat): 14,391 mg/kg

##### **1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):**

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: Information given is based on data obtained from similar substances.
Acute inhalation toxicity	: LC50 (Rat): 3.07 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: No adverse effect has been observed in acute dermal toxicity tests.

### Skin corrosion/irritation

Not classified based on available information.



**Product:**

Remarks: Extremely corrosive and destructive to tissue.

**Components:**

2-PHENOXYETHANOL:

Species: Rabbit

Result: No skin irritation

1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):

Species: Rabbit

Result: Slight, transient irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Remarks: May cause irreversible eye damage.

**Components:**

2-PHENOXYETHANOL:

Species: Rabbit

Result: Corrosive

1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):

Species: Rabbit

Result: Corrosive

Method: OECD Test Guideline 405

**Respiratory or skin sensitization**

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

**Components:**

2-PHENOXYETHANOL:

Species: Guinea pig

Assessment: Does not cause skin sensitization.

Method: OECD Test Guideline 406

1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):

Species: Guinea pig

Assessment: Does not cause skin sensitization.

Method: OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information.

**Components:**

2-PHENOXYETHANOL:

Genotoxicity in vitro

: Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation



Result: negative

**1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):**

Genotoxicity in vitro : Test Type: Ames test  
Test species: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Test species: Mouse (male and female)  
Method: OECD Test Guideline 474  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**Components:**

**2-PHENOXYETHANOL:**

Effects on fetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL (No observed adverse effect level): ca. 300 mg/kg bw/day  
Method: OPPTS 870.3700

**1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):**

Effects on fetal development : Species: Rat  
Strain: Sprague-Dawley  
Application Route: Oral  
General Toxicity Maternal: NOAEL (No observed adverse effect level): 800 mg/kg bw/day  
Method: OECD Test Guideline 414

Species: Rat  
Strain: Sprague-Dawley  
Application Route: Oral  
General Toxicity Maternal: NOAEL (No observed adverse effect level): 50 mg/kg bw/day  
Method: OECD Test Guideline 414

**STOT-single exposure**

May cause respiratory irritation.

**Components:**

**2-PHENOXYETHANOL:**

Assessment: May cause respiratory irritation.

**STOT-repeated exposure**

Not classified based on available information.



### Repeated dose toxicity

#### Components:

2-PHENOXYETHANOL:

Species: Rat, male and female

NOAEL: 369 mg/kg

Application Route: Oral

Method: OECD Test Guideline 408

Species: Rabbit, male and female

NOAEL: 500 mg/kg

Application Route: Dermal

1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):

Species: Rat, male and female

No-observed-effect level: 100 mg/kg

Application Route: Oral

Exposure time: 28 d

Method: OECD Test Guideline 407

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks: No data available

### Carcinogenicity:

#### **IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.



**Components:**

**2-PHENOXYETHANOL:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 337 - 352 mg/l  
Exposure time: 96 h  
Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): > 500 mg/l  
End point: Growth inhibition  
Exposure time: 72 h  
Test Type: static test
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 23 mg/l  
Exposure time: 34 d  
Test Type: flow-through test  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia): 9.43 mg/l  
Exposure time: 21 d  
End point: Reproduction Test  
Test Type: semi-static test  
Method: OECD Test Guideline 211
- 1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):**
- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 60.2 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 78.3 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae : IC50 (Desmodesmus subspicatus (green algae)): 48.3 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC: 1.5 mg/l  
Exposure time: 35 d  
Method: OECD Test Guideline 210



Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to bacteria : EC0: 560 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Ecotoxicology Assessment Short-term (acute) aquatic hazard : Harmful to aquatic life.

Long-term (chronic) aquatic hazard : Harmful to aquatic life with long lasting effects.

### **Persistence and degradability**

#### **Components:**

##### **2-PHENOXYETHANOL:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 99 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):**

Biodegradability : Result: Inherently biodegradable.  
Method: OECD Test Guideline 302B

No data available

### **Bioaccumulative potential**

#### **Components:**

##### **2-PHENOXYETHANOL:**

Partition coefficient: n-octanol/water : log Pow: 1.16

##### **1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY):**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 2.53 (20 °C)

No data available

### **Mobility in soil**

#### **Components:**

No data available

### **Other adverse effects**

#### **Product:**

Additional ecological information : No data available



**Components:**

2-PHENOXYETHANOL:

Results of PBT and vPvB assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

: This substance is not considered to be very persistent and very bioaccumulating (vPvB).

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

General advice

: Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging

: Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

**SECTION 14. TRANSPORT INFORMATION**

**International transport regulations**

**REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

**U.S. DOT - ROAD**

Not dangerous goods
---------------------

**CFR\_RAIL\_C**

Not dangerous goods
---------------------

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods
---------------------

**TDG\_ROAD\_C**

Not dangerous goods
---------------------



**TDG\_RAIL\_C**

Not dangerous goods

**TDG\_INWT\_C**

Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods

**MX\_DG**

Not dangerous goods

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

---

**SECTION 15. REGULATORY INFORMATION**

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.



### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** The following components are subject to reporting levels established by SARA Title III, Section 313:

2-PHENOXYETHANOL	122-99-6	90.00 %
------------------	----------	---------

### Pennsylvania Right To Know

2-PHENOXYETHANOL	122-99-6
1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY)	70445-33-9

### New Jersey Right To Know

2-PHENOXYETHANOL	122-99-6
1,2-PROPANEDIOL, 3-(2-ETHYLHEXYLOXY)	70445-33-9

### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories:

**TCSI** : On the inventory, or in compliance with the inventory

**TSCA** : This product is regulated under the United States Food and Drug Act (FDA).

**AIIC** : All components are listed on the inventory, regulatory obligations/restrictions apply

**DSL** : All components of this product are on the Canadian DSL

**ENCS** : On the inventory, or in compliance with the inventory



ISHL : On the inventory, or in compliance with the inventory  
KECI : On the inventory, or in compliance with the inventory  
PICCS : On the inventory, or in compliance with the inventory  
IECSC : On the inventory, or in compliance with the inventory

#### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

#### Other regulations


US. Drug Enforcement Administration (DEA) Listed Precursor and Essential Chemicals (21 CFR 1310) Not applicable

---

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of H-Statements



H302	Harmful if swallowed.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Deo Organic. (<http://www.Deo Organic.com>)

Sources of key data used to compile the Material Safety Data Sheet : Deo Organic internal data including own and sponsored test reports  
European Union Law with content from the Official Journal of the European Union.  
European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.



The German Water Hazard Classes.  
ReachCentrum; a series of support services to help comply with REACH regulations.  
The European Commission; proposing legislation, administering and implementing EU policies, and enforcing EU law.  
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.  
Cefic, the European Chemical Industry Council.  
ESIS European Chemical Substances Information System

All statements, technical information and recommendations contained herein are based on tests and data which Deo Organic believes to be currently reliable, but this accuracy or completeness thereof is not guaranteed and no warranty of any kind is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe any patent of this company or others covering any process, composition of matter or use. Since we shall have no control of the use of the product described here in, we assume no Liability for loss or damage incurred from the proper or improper use of such product.